

Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 1 of 8

XIAMEN MODERN DELTA LTD JINXING ROAD NO.61-69, HUBIN NORTH ROAD, XIAMEN 361012, CHINA

Sample Description : SILICONE TEAT

Manufacturer : XIAMEN MODERN DELTA LTD

Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Jun 02, 2020

Test Performing Date : Jun 02, 2020 to Sep 16, 2020

Test Performed : Selected test(s) as requested by applicant

Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Beck Hong

Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/er/Terms-and-Conditions.agnd, for electronic format document subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/er/Terms-and-Conditions/Terms-e-Document.agn/ Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of terms instructions, if any. The Company is sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce such as the produce of the content of



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 2 of 8

Part 1 SGS Ref No.is GZHL2006030736OT. This test was subcontracted to Guangzhou Branch, SGS-CSTC Co., Ltd.

Test Requested	Result
EN 14350-1:2004	PASS

Test Conducted: Based on EN 14350-1:2004 Child use and care articles - Drinking equipment - Part 1: General and mechanical requirements and tests

Number of Tested Sample: 5 Pieces

Test Results: Details shown as following table

Clause	Test Items	Result
5	Requirements	·
5.1	General	PASS
5.2	Visual and tactile examination	PASS
5.3	Small parts	PASS
5.4	Volume	
5.4.1	Volumetric labelling	
5.4.1.1	All feeding bottles, but not necessarily drinking cups, shall be marked with graduations at least in millilitres.	NA
5.4.1.2	Feeding bottles	NA
5.4.1.3	Drinking cups	NA
5.4.2	Volumetric accuracy	NA
5.5	Resistance to tearing	PASS
5.6	Additional requirements for re-usable products	
5.6.1	Resistance to boiling water	PASS
5.6.2	Print adhesion of markings and decorations	NA
5.6.3	Thermal shock	PASS
5.7	Additional requirement for sealing discs	NA
5.8	Requirements for matched components	·
5.8.1	Includes protrusions	NA
5.8.2	Includes straws	NA
5.9	Requirements for protrusions	NA
5.10	Requirements for straws	NA



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent for law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:To-check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 3 of 8

7	Consumer packaging	PASS
8	Product information	
8.1	General	PASS
8.2	Purchase information	PASS
8.3	Instructions for use	PASS

Remarks:

- 1. NA = Not applicable.
- 2. Only English version of product information was evaluated. All product information shall be provided in the official language(s) of the country where the product is sold.
- 3.The latest version of EN 14350 is EN 14350:2020, which has superseded EN 14350-1:2004 and EN 14350-2:2004. EN 14350:2020 shall be given the status of a national standard at the latest by December 2020, and conflicting national standards shall be withdrawn at the latest by June 2021.

Sample Photos:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Footments at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 4 of 8

Part 2 SGS Ref No.is CANHG2008828901. This test was subcontracted to Guangzhou Branch, SGS-CSTC Co., Ltd.

Result Summary:

Test Requested	Conclusion
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, Council of Europe Resolution AP (2004) 5 – Overall migration	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004–Sensorial examination odour and taste test	PASS
EN 14350 2:2004 –N Nitrosamines and N Nitrosatables release	PASS
EN 14350 2:2004 – Migration of certain elements	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004–Volatile organic matter (VOM)	PASS
EN 14350 2:2004 -Volatile compounds content	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, Commission Regulation (EU) 2018/213 of 12 February 2018 amending Regulation (EU) No 10/2011-Total Content of Bisphenol A	PASS
Test Results:	

Test Part Description :

Specimen No.	pecimen No. SGS Sample ID Description		Material
			(claimed by the client)
SN1	CAN20-088289.001	Transparent silicone nipple	Silicone

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, Council of

Europe Resolution AP (2004) 5 – Overall migration

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and

Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;

or EN 1186-3:2002 aqueous food simulants by total immersion method;

or EN1186-2:2002 olive oil by total immersion method;

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible	Result of 001	Comment
			<u>Limit</u>	Overall Migration	
3% Acetic Acid (W/V) Aqueous Solution	2.0hr(s)	70°C	60mg/kg	<20mg/kg	PASS
10% Ethanol (V/V) Aqueous Solution	2.0hr(s)	70°C	60mg/kg	<20mg/kg	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-colditions/Terms-bo-count-aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document aspx divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offsenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esuits shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8397

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766640 www.sgsgroup.com.cn 中国 -福建・厦门・火炬(翔安)产业区朔虹路31号 邮编:361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 5 of 8

Rectified Olive Oil 2.0hr(s) 70°C 60mg/kg <20mg/kg PASS

Notes:

1. mg/dm² = milligram per square decimeter

mg/kg = milligram per kilogram of foodstuff in contact with

2. °C = degree Celsius

3. Analytical tolerance of aqueous simulants is 2mg/dm² or 12mg/kg

4. Analytical tolerance of fatty food simulants is 3mg/dm2 or 20mg/kg

5.Report the third migration result

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004– Sensorial

examination odour and taste test

Test Method: With reference to DIN10955:2004, direct contact method.

No.of panelist:6

Test Item(s)	<u>Limit</u>	<u>001</u>
Test media	-	Distilled water
Test Temperature (°C)	-	70
Test time (hr)	-	2
Test Item(s)	<u>Limit</u>	<u>001</u>
Sensorial examination odour (Point scale)	2.5	1.0
Sensorial examination taste (Point scale)	2.5	1.0
Comment		PASS

Notes:

Intensity scale (rounded at 0.5):

0 - no perceptible difference

1 – just perceptible difference

2 - slight difference

3 - marked difference

4 – strong difference

EN 14350 2:2004 -N Nitrosamines and N Nitrosatables release

Test Method: With reference to EN 14350-2:2004, Clause 5.3, analysis was performed by LC-MS-MS.

 Test Item(s)
 Limit
 Unit
 MDL
 001

 N-Nitrosamines
 0.010
 mg/kg
 0.010
 ND

 Comment
 PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-colditions/Terms-and-en-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esuits shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:To-check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn 中国 -福建・厦门・火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 6 of 8

N-Nitrosatable substances 0.10 mg/kg 0.10 ND Comment PASS

Notes:

- 1. N-Nitrosamines tested: N-nitrosodimethylamine (NDMA), N-nitrosodiethylamine (NDEA), N-nitrosodipropylamine (NDPA), N-nitrosodibutylamine (NDBA), N-nitrosopiperidine (NPIP), N-nitrosopyrrolidine (NPYR), N-nitrosomorpholine (NMOR), N-nitrosodibenzylamine (NDBzA), N-nitroso-N-methyl-N-phenylamine (NMPhA), N-nitroso-N-ethyl-N-phenylamine (NEPhA) and N-nitrosodiisononylamine (NDiNA).
- 2. mg/kg = milligram per kilogram
- 3. MDL=Method Detection Limit
- 4. ND = Not Detected(less than MDL)

EN 14350 2:2004 - Migration of certain elements

Test Method: With reference to EN14350-2: 2004, Clause 5.2, analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Soluble Lead (Pb)	25	mg/kg	5	ND
Soluble Antimony (Sb)	15	mg/kg	5	ND
Soluble Arsenic (As)	10	mg/kg	5	ND
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Soluble Barium (Ba)	100	mg/kg	10	ND
Soluble Cadmium (Cd)	20	mg/kg	5	ND
Soluble Chromium (Cr)	10	mg/kg	5	ND
Soluble Mercury (Hg)	10	mg/kg	5	ND
Soluble Selenium (Se)	100	mg/kg	10	ND
Comment				PASS

Notes:

- 1.mg/kg=ppm
- 2.ND = Not detected
- 3.MDL = Method Detection Limit
- 4. Results of soluble elements shown are of the adjusted analytical results.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004–Volatile organic matter (VOM)

Test Method: With reference to EN 14372:2004, Clause 6.3.3.

Test Item(s) Limit Unit MDL 001



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766640 www.sgsgroup.com.cn 中国 -福建・厦门・火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com



Test Report No.: XMHL2006002732CW Date: Sep 16, 2020 Page 7 of 8

Volatile Compounds Content 0.5 %(w/w) 0.10 0.19

Comment PASS

Notes:

- 1. %w/w = percentage of weight by weight
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)

EN 14350 2:2004 -Volatile compounds content

Test Method: With reference to EN 14350-2: 2004, Clause 5.6.

 Test Item(s)
 Limit
 Unit
 MDL
 001

 Volatile Compounds Content
 0.5
 %(w/w)
 0.10
 0.17

 Comment
 PASS

Notes:

- 1. % w/w = Percentage of weight by weight
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,

Commission Regulation (EU) 2018/213 of 12 February 2018 amending Regulation (EU) No 10/2011-Total

Content of Bisphenol A

Test Method: With reference to Part II Section D2 of Testing Methods for Foodstuffs, Implements,

Containers and Packaging, Toys, Detergents, JETRO, Japan External Trade Organization, 2009 (Dichloromethane extraction by ultrasonic bath). Analysis was performed by HPLC-MS

Test Item(s)LimitUnitMDL001Total content of Bisphenol A★ mg/kg0.1NDCommentPASS

Notes:

- 1. mg/kg = milligram per kilogram
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents under the service of the serv

No.31 Xianghong Road, Xiang/An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn 中国 - 福建・厦门・火炬(翔安)产业区朔虹路31号 邮编:361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com



Test Report

No.: XMHL2006002732CW Date: Sep 16, 2020 Page 8 of 8

4. ★ = Prohibited

Sample photo(s):



CANHG2008828901 CAN20-088289.001

The testing report/certificate only refers to the sample(s) tested.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sis.com/en/Terms-and-Conditions.aspx and, for electronic format documents of the conditions of t

No.31 Xianghong Road, Xiang/na Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766537 f (86-592) 5766460 www.sgsgroup.com.cn 中国 -福建・厦门・火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766537 f (86-592) 5766460 e sgs.china@sgs.com